
DISCOVERING STATISTICS USING

AVt> SIX AVt> HWW AWI>

V ROLL



ANDY FIELD

| Preface | XIX |
|---|----------|
| How to use this book | XXV |
| Acknowledgements | XXX |
| Dedication | xxxiii |
| Symbols used in this book | xxxiv |
| Some maths revision | xxxvi |
| Why is my evil lecturer forcing me to learn statistics? | 1 |
| 1.1. What will this chapter tell me? © | 1 |
| 1.2. What the hell am I doing here? I don't belong here © | 2 |
| 1.2,1. The research process ® | 3 |
| 1.3. Initial observation: finding something that needs explaining © | 4 |
| 1.4. Generating theories and testing them © | 4 |
| 1.5. Collect data to test your theory © | 7 |
| 1.5.1. Variables CD | 7 |
| .,5.2. Measurement error © | 11 |
| 1.5.3. Validity and reliability© | 12 |
| 1.5.4. Correlational research methods © | 13 |
| 1.5.5. Experimental research methods © | 14 |
| 1.5.6. Randomization © | 18 |
| 1.6. Analysing data© | 19 |
| 1.6.1. Frequency distributions © | 19 |
| 1.6.2. The centre of a distribution ©1.6,3. The dispersion in a distribution © | 21 24 |
| 1.6.4. Using a frequency distribution to go beyond the data <d< td=""><td>28</td></d<> | 28 |
| 1.6.5. Fitting statistical models to the data © | 32 |
| 1.7. Reporting data © | 34 |
| 1.7.1. Dissemination of research © | 34 |
| 1.7,2. Knowing how to report data © | 35 |
| 1.7.3. Some initial guiding principles © | 35 |
| 1.8. Brian's attempt to woo Jane © | 37 |
| 1.9. What next?© | 37 |
| 1.10. Key terms that I've discovered | 38 |
| 1.11. Smart Alex's tasks | 38 |
| 1.12. Further reading | 39 |

Preface

| 2 | Everything you never wanted to know about/statistics | 40 |
|---|--|----------|
| | 2.1. What will this chapter tell me? © | 40 |
| | 2.2. Building statistical models © | 41 |
| | 2.3. Populations and samples © —. | 42 |
| | 2.4. Statistical models © | 44 |
| | 2.4.1. The mean as a statistical model © | 46 |
| | 2.4.2. Assessing the fit of a'model: sums of squares and variance revisited @ | |
| | 2.4.3. Estimating parameters © | 50 |
| | 2.5. Going beyond the data © | 51 |
| | 2.5.1. The standard error © 2.5.2. Confidence intervals © | 52 |
| | | 54 |
| | 2.6. Using statistical models to test research questions ©2.6.1, Null hypothesis significance testing © | 60 60 |
| | 2.6.2. Problems with NHST © * | 74 |
| | 2.7. Modern approaches to theory testing © | 78 |
| | 2.7.1. Effect sizes© | 79 |
| | 2.7.2. Meta-analysis © | 83 |
| | 2.8. Reporting statistical models © | 84 |
| | 2.9. Brian's attempt to woo Jane © | 85 |
| | 2.10. What next?© | 86 |
| | 2.11. Key terms that I've discove'red | 87 |
| | 2.12. Smart Alex's tasks | 87 |
| | 2.13. Further reading | 88 |
| 3 | The IBM SPSS Statistics environment | 89 |
| | 3.1. (What will this chapter tell me? © | 89 |
| | 3.2. Versions of IBM SPSS Statistics © | 90 |
| | 3.3. Windows versus MacOS © | 90 |
| | 3.4. Getting started © | 90 |
| | 3.5. The data editor© | 91 |
| | 3.5.1. Entering data into the data editor © | 98 |
| ٧ | | 99 |
| | 3.5.3. Missing values© | 107 |
| | 3.6. Importing data © | 109 |
| | 3.7. The SPSS viewer © | 109 |
| | 3.8. Exporting SPSS output © | 113 |
| | 3.9. The syntax editor © | 113 |
| | 3.10. Savingfiles© | 115 |
| | 3.11. Retrieving a file© | 115 |
| | 3.12. Brian's attempt to woo Jane © | 116 |
| - | · 3.13. What next?© | 117 |
| | 3.14. Key terms that I've discovered | 117 |
| | 3.15. Smart Alex's tasks | 117 |
| | 3.16. Further reading | 120 |
| 4 | Exploring data with graphs | 121 |
| | 4.1, What will this chapter tell me? © | 121 |
| | 4.2. The art of presenting data © | 122 |
| | 4.2.1. What makes a good graph? © | 122 |
| | 4.2.2. Lies, damned lies, and erm graphs © | 123 |

CONTENTS

| 4.3. | The SPSS chart builder (!) | 125 |
|-------|--|-------|
| 4.4. | Histograms© | * 127 |
| 4.5. | Boxplots (box-whisker diagrams) © | 131 |
| 4.6. | Graphing means: bar charts and error bars © | 135 |
| | 4.6.1. Simple bar charts for independent means © | 136 |
| | 4.6.2. Clustered bar charts for independent means © | 137 |
| | 4.6.3. Simple bar charts for related means ® , | 140 |
| | 4.6.4. Clustered bar charts for related means © | 143 |
| | 4.6.5. Clustered bar charts for 'mixed' designs © | 145 |
| 4.7. | Line charts© | 148 |
| 4.8. | Graphing relationships: the scatterplot © | 148 |
| | 4.8.1. Simple scatterplot © | 149 |
| | 4.8.2. Grouped scatterplot © | 151 |
| | 4.8.3. Simple and grouped 3-D scatterplots © | 153 |
| | 4.8.4. Matrix scatterplot © | 154 |
| | 4.8.5 Simple dot plot or density plot © | 157 |
| | 4.8.6. Drop-line graph © | 157 |
| 4.9. | Editing graphs© | 158 |
| 4.10. | Brian's attempt to woo Jane© | 161 |
| 4.11. | What next?© | 161 |
| 4.12. | Key terms that I've discovered | 161 |
| 4.13. | Smart Alex's tasks | 162 |
| 4.14. | Further reading | 162 |
| - | | 400 |
| | beast of bias | 163 |
| 5.1. | What will this chapter tell me? © | 163 |
| 5.2. | What is bias?© • | 164 |
| | 5.2.1. Assumptions© | 165 |
| | 5.2.2. Outliers© | 165 |
| | 5.2.3. Additivity and linearity © | 167 |
| | 5.2.4. Normally distributed something or other © | 168 |
| | 5.2.5. Homoscedasticity/homogeneity of variance © | 172 |
| | 5.2.6. Independence © | 176 |
| 5.3 | Spotting bias © | 176 |
| | 5.3 1. Spotting outliers© | 176 |
| | 5.3.2. Spotting normality© | 179 |
| | 5.3.3. Spotting linearity and heteroscedasticity/heterogeneity | 400 |
| | of variance © | 192 |
| 5.4. | Reducing bias© | 196 |
| | 5.4.1. Trimming the data© | 196 |
| | 5.4.2. Winsorizing© | 198 |
| | 5.4.3. Robust methods © | 198 |
| | 5.4.4. Transforming data © | 201 |
| 5.5. | Brian's attempt to woo Jane © | 210 |
| 5.6. | What next?© | 210 |
| 5.7. | Key terms that I've discovered | 211 |
| 5.8. | Smart Alex's tasks | 211 |
| 5.9. | Further reading | 212 |
| Nor | n-parametric models | 213 |
| | What will this chapter tell me? © | 213 |
| | When to use non-parametric tests © | 214 |

| 6.3. | General procedure of non-parametric tests in SPSS © | 215 |
|-------|--|------------|
| 6.4. | Comparing two independent conditions: the Wilcoxon rank-sum test and | |
| | Mann-Whitney test © | 217 |
| | 6.4.1. Theory© | ^ 219 |
| | 6.4.2. Inputting data and provisional analysis © | 221 |
| | 6.4.3. The Mann-Whitney test using SPSS © | 223 |
| | 6.4.4. Output from the Mann-Whitney test © | 224 |
| | 6.4.5. Calculating an effect size © | 227 |
| | 6.4.6. Writing the results © | 227 |
| 6.5. | Comparing two related conditions: | |
| | the Wilcoxon signed-rank test © | 228 |
| | 6.5.1, Theory of the Wilcoxon signed-rank test © | 228 |
| | 6.5.2, Running the analysis© | 230 |
| | 6.5.3. Output for the ecstasy group © • • • • • • • • • • • • • • • • • • | 231 |
| | 6.5.4. Output for the alcohol group© | 233 |
| | 6.5.5. Calculating an effect size © | 234 |
| 0.0 | 6.5.6, Writing the results© | 234 |
| 6.6. | Differences between several independent groups: the Kruskal-Wallis test © | 236 |
| | 6.6.1. Theory of the Kruskal-Wallis test © 6.6.2. Follow-up analysis© | 236 238 |
| | 6.6.3. Inputting data and provisional analysis © | 239 |
| | 6.6.4. Doing the Kruskal-Wallis test in SPSS © | 239 |
| | 6.6.5. Output from the Kruskal-Wallis test © | 242 |
| | 6.6.6. Testing for trends: the Jonckheere-Terpstra test © | 246 |
| | 6.6.7. Calculating an effect size © | 248 |
| | 6.6.8. Writing and interpreting the results © | 249 |
| 6.7. | Differences between several related groups: Friedman's ANOVA © | 249 |
| | 6.7.1. Theory of Friedman's ANOVA © | 251 |
| | 6.7.2. Inputting data and provisional analysis © | 252 |
| | 6.7.3. Doing Friedman's ANOVA in SPSS © | 253 |
| | 6.7.4. Output from Friedman's ANOVA© | 254 |
| | 6.7.5. Following-up Friedman's ANOVA © | 256 |
| | 6.7.6. Calculating an effect size @ | 256 |
| | 6.7.7. Writing and interpreting the results © | 257 |
| 6.8. | Brian's attempt to woo Jane © | 258 |
| 6.9. | What next? © | 259 |
| 6.10. | Key terms that I've discovered | 259 |
| 6.11 | . Smart Alex's tasks | 259 |
| 6.12. | Further reading | 261 |
| Cor | relation | 262 |
| 7.1. | What will this chapter tell me? © | 262 |
| 7.2. | Modelling relationships © | 263 |
| | 7.2.1. A detour into the murky world of covariance © | 264 |
| | 7.2.2. Standardization and the correlation coefficient © | 266 |
| | 7.2.3. The significance of the correlation coefficient ® | 268 |
| | 7.2.4. Confidence intervals for r-@ | 269 |
| | 7.2.5. A word of warning about interpretation; causality © | 270 |
| 7.3. | Data entry for correlation analysis using SPSS © | 270 |
| 7.4. | Bivariate correlation © | 271 |
| | 7.4.1, General procedure for running correlations in SPSS © | 272 |
| | 7.4.2, Pearson's correlation coefficient © | 274 |
| | 7.4.3, Spearman's correlation coefficient © | 276 |
| | | |

| | | 7.4.4, Kendall's tau (non-parametric) © | 278 |
|---|-------|--|-------|
| | | 7.4.5. Biserial and point-biserial correlations © | 279 |
| | 7.5. | Partial correlation © | 281 |
| | | 7.5.1. The theory behind part and partial correlation ® | 281 |
| | | 7.5.2. Partial correlation in SPSS © | 283 |
| | | 7.5.3. Semi-partial (or part) correlations © | 285 |
| | 7.6. | Comparing correlations © . | 285 |
| | | 7.6.1. Comparing independent rs® | 285 |
| | | 7.6.2. Comparing dependent rs ® | 286 |
| | 7.7. | Calculating the effect size © | 287 |
| | 7.8. | How to report correlation coefficients © | 288 |
| | 7.9. | Brian's attempt to woo Jane © | 290 |
| | 7.10. | What next?© | 290 |
| | 7.11. | Key terms that I've discovered | ' 291 |
| | 7.12. | Smart Alex's tasks | 291 |
| | 7.13. | Further reading | 292 |
| _ | _ | | |
| 8 | _ | ression | 293 |
| | 8.1. | What will this chapter tell me? © | 293 |
| | 8.2. | An introduction to regression © | 294 |
| | | 8.2.1. The simple linear model © | 294 |
| | | 8.2.2. The linear model with several predictors © | 296 |
| | | 8.2.3. Estimating the model © | 298 |
| | | 8.2.4. Assessing the goodness of fit, sums of squares, R and R^2 © | 300 |
| | | 8.2.5. Assessing individual predictors © | 303 |
| | 8.3. | Bias in regression models? © | 304 |
| | | 8.3.1. Is the model'biased by unusual cases? © | 304 |
| | | 8.3.2. Generalizing the model© | 309 |
| | | 8.3.3. Sample size in regression® | 313 |
| | 8.4. | Regression using SPSS: One Predictor © | 314 |
| | | 8.4.1. Regression: the general procedure © | 315 |
| | | 8.4.2, Running a simple regression using SPSS © | 316 |
| | | 8.4.3, Interpreting a simple regression © | 318 |
| | | 8.4.4. Using the model © | 320 |
| | 8.5. | Multiple regression © | 321 |
| | | 8.5.1. Methods of regression © | 321 |
| | | 8.5.2. Comparing models © | 324 |
| | | 8.5.3. Multicollinearity © | 324 |
| | 8.6. | Regression with several predictors using SPSS © | 326 |
| | | 8.6.1. Main options © | 327 |
| | | 8.6.2. Statistics© | 328 |
| | | 8.6.3. Regression plots © -• | 329 |
| | | 8.6.4. Saving regression diagnostics © | 331 |
| | | 8.6.5. Further options© | 332 |
| | | 8.6.6. Robust regression © | 333 |
| | 8.7. | Interpreting multiple regression © | 334 |
| | | 8.7.1. Descriptives © | 334 |
| | | 8.7.2. Summary of model© | 335 |
| | | 8.7.3. Model parameters © | 338 |
| | | 8.7.4. Excluded variables ® | 342 |
| | | 8.7.5. Assessing multicollinearity © | 342 |
| | | 8.7.6. Bias in the model: casewise diagnostics © | 345 |
| | | 8.7.7. Bias in the model: assumptions© | 348 |

| | 8.8. | What if I violate an assumption? Robust regression © | 350 |
|----|-------|---|------------|
| | 8.9. | How to report multiple regression © | 352 |
| | 8.10. | Brian's attempt to woo Jane© | 353 |
| | 8.11. | What next?© " ~_ | 354 |
| | 8.12. | Key terms that I've discovered | 354 |
| | 8.13. | Smart Alex's tasks | 354 |
| | 8.14. | Further reading ' | 356 |
| _ | _ | | |
| 9 | | nparing two means | 357 |
| | | What will this chapter tell me? © | 357 |
| | 9.2. | Looking at differences© | 358 |
| | | 9.2.1. An example: are invisible people mischievous? © | 359 |
| | | 9.2.2. Categorical predictors in the linear model © . | 362 |
| | 9.3. | The Mest © | 364 |
| | | 9.3.1. Rationale for the (-test © | 364 |
| | | 9.3.2. The independent (-test equation explained © | 365 |
| | | 9.3.3. The paired-samples Mest equation explained © | 368 |
| | 9.4. | Assumptions of the Mest © | 371 |
| | 9.5. | The independent Mest using SPSS © | 371 |
| | | 9.5.1. The general procedure © | 371 |
| | | 9.5.2. Exploring data and testing assumptions © | 372 372 |
| | | 9.5.3. Compute the independent Mest ©9.5.4. Output from the independent Mest © | 372 |
| | | 9.5.5. Calculating the effect size © | 376 |
| | | 9.5.6. Reporting the independent (-test © | 377 |
| | 9.6. | Paired-samples Mest using SPSS © | 378 |
| | | 9.6.1.' Entering data © | 378 |
| | | 9.6.2. Exploring data and testing assumptions © | 378 |
| | | 9.6.3. Computing the paired-samples Mest ® | 383 |
| | | 9.6.4. Calculating the effect size© | 386 |
| | | 9.6.5. Reporting the paired-samples Mest © | 387 |
| | 9.7. | Between groups or repeated measures? © | 388 |
| | 9.8 | What if I violate the test assumptions? © | 388 |
| | 9.9. | Brian's attempt to woo Jane © | 389 |
| | 9.10. | What next?© | 389 |
| | 9.11. | . Key terms that I've discovered | 389 |
| | 9.12. | Smart Alex's tasks | 390 |
| | 9.13. | Further reading | 391 |
| 10 | Mod | deration, mediation and more regression | 392 |
| | | What will this chapter tell me?© | 392 |
| | | Installing custom dialog boxes in SPSS © | 393 |
| | | Moderation: interactions in regression ® | 395 |
| | 10.5. | 10.3.1. The conceptual model CD | 395 |
| | | 10.3.2. The statistical model @ | 397 |
| | | 10.3.3. Centring variables © | 398 |
| | | 10.3.4. Creating interaction variables © | 400 |
| | | 10.3.5. Following up an interaction effect © | 400 |
| | | 10.3.6. Running the analysis © | 401 |
| | | 10.3.7. Output from moderation analysis © | 402 |
| | | 10.3.8. Reporting moderation analysis © | 407 |
| | 10.4. | Mediation© | 408 |

CONTENTS

| | | 10.4.1. | The conceptual model © | 408 |
|----|-------|-----------|---|-----|
| | | 10.4.2. | The statistical model © | 409 |
| | | 10.4.3. | Effect sizes of mediation © | 411 |
| | | 10.4.4. | Running the analysis © | 413 |
| | | 10.4.5. | Output from mediation analysis © | 414 |
| | | 10.4.6. | Reporting mediation analysis © | 418 |
| | 10.5. | Catego | prical predictors in regression ® | 419 |
| | | 10.5.1. | Dummy coding (D | 419 |
| | | 10.5.2. | SPSS output for dummy variables ® | 422 |
| | 10.6. | Brian's | attempt to woo Jane © | 426 |
| | 10.7. | What r | next?© | 427 |
| | 10.8. | Key te | rms that I've discovered | 427 |
| | 10.9. | Smart . | Alex's tasks | 427 |
| | 10.10 | . Further | reading | 428 |
| 11 | Com | paring | several means: ANOVA (GLM 1) | 429 |
| | | | vill this chapter tell me? © | 429 |
| | | | eory behind ANOVA ® | 430 |
| | 11.2. | | Using a linear model to compare means © | 430 |
| | | | Logic of the F-ratio © | 434 |
| | | | Total sum of squares (SS _T) © | 436 |
| | | | Model sum of squares (SSJ © | 438 |
| | | | Residual sum of squares(SS _R) © | 439 |
| | | | Mean squares © | 440 |
| | | • | The F-ratio© | 441 |
| | | 11.2.8. | Interpreting F© | 442 |
| | 11.3. | Assum | ptions of ANOVA @ | 442 |
| | | 11.3.1. | Homogeneity of variance © | 442 |
| | | 11.3.2. | Is ANOVA robust? © | 444 |
| | | 11.3.3. | What to do when assumptions are violated © | 445 |
| | 11.4. | Planne | ed contrasts © | 445 |
| | | 11.4.1. | Choosing which contrasts to do © | 446 |
| | | 11.4.2. | Defiping contrasts using weights © | 449 |
| | | 11.4.3. | Non-orthogonal comparisons © | 454 |
| | | 11.4.4. | Standard contrasts © | 456 |
| | | 11.4.5. | Polynomial contrasts: trend analysis © | 457 |
| | 11.5. | Post h | oc procedures © | 458 |
| | | 11.5.1. | Type I and Type II error rates for post hoc tests © | 458 |
| | | 11.5.2. | Are post hoc procedures robust? © | 459 |
| | | 11.5.3. | Summary of post hoc procedures © | 459 |
| | 11.6. | Runnin | ng one-way ANOVA in SPSS © | 460 |
| | | 11.6.1. | General procedure of one-way ANOVA © | 460 |
| | | 11.6.2. | Planned comparisons using SPSS © | 462 |
| | | 11.6.3. | Post hoc tests in SPSS© | 463 |
| | | 11.6.4. | Options© | 464 |
| | | 11.6.5. | Bootstrapping © | 465 |
| | 11.7. | Output | from one-way ANOVA © | 466 |
| | | 11,7.1. | Output for the main analysis © | 466 |
| | | .1,7.2. | Output for planned comparisons © | 469 |
| | | 11.7.3. | Output for post hoc tests© | 470 |
| | .1,8. | Calcula | ating the effect size © | 472 |
| | .1,9. | Report | ing results from one-way independent ANOVA | 474 |
| | 11.10 | .Key ter | rms that I've discovered | 475 |

| | 11.11 .Brian's attempt to woo Jane © | 475 |
|----|---|------------|
| | 11,12.What next?© | 476 |
| | 11,13.Smart Alex's tasks | 476 |
| | 11.14. Further reading — | 477 |
| 12 | Analysis of covariance, ANCOVA (GLM 2) | 478 |
| | 12.1. What will this chapter tell me?® | 478 |
| | 12.2. What is ANCOVA? © | 479 |
| | 12.3. Assumptions and issues in ANCOVA ® | 484 |
| | 12.3.1. Independence of the covariate and treatment effect ® | 484 |
| | 12.3 2. Homogeneity of regression slopes ® | 485 |
| | 12.3,3. What to do when assumptions are violated © | 488 |
| | 12.4. Conducting ANCOVA in SPSS © • | 488 |
| | 12.4.1. General procedure © | -488 |
| | 12.4.2. Inputting data® | 488 |
| | 12,4.3. Testing the independence of the treatment variable and covariate © | 488 |
| | 12.4.4. The main analysis © | 490 |
| | 12.4.5. Contrasts | 490 |
| | 12.4.6. Other options © | 491 |
| | 12.4 7, Bootstrapping and plots © | 493 |
| | 12,5. Interpreting the output from ANCOVA © | 493 |
| | 12,5.1. What happens when the covariate is excluded? © | 493 |
| | 12.5.2. The main analysis © 12.5.3. Contrasts© | 494 497 |
| | 12.5.5. Contrasts© 12.5.4, Interpreting the covariate © | 497 |
| | 12.6. Testing the assumption of homogeneity of regression slopes ® | 499 |
| | 12.7. Calculating the effect size © | 500 |
| | · · · · · · · · · · · · · · · · · · · | 500 |
| | 12.8. Reporting results ® | 503 504 |
| | 12.9. Brian's attempt to woo Jane © 12.10.What next?© | 504 504 |
| | 12.10. What next? 12,11, Key terms that I've discovered | 504 505 |
| | 12.12.Smart Alex's tasks | 505 |
| | 12.13.Further reading | 506 |
| 40 | Factorial ANOVA (OLM 6) | 507 |
| 13 | Factorial ANOVA (GLM 3) | 507 |
| | 13.1. What will this chapter tell me? © | 507 |
| | 13.2. Theory of factorial ANOVA (independent designs) © | 508 |
| | 13.2.1. Factorial designs © | 508 |
| | 13.2.2. Guess what? Factorial ANOVA is a linear model © | 509 |
| | 13.2.3. Two-way ANOVA: behind the scenes © 13.2,4. Total sums of squares (SS _T) © | 514 515 |
| | 13.2.5. Model sum of squares, SS _M © | 515 516 |
| | 13.2.6. The residual sum of squares, SS_R © | 519 |
| | 13.2.7. The residual sum of squares, So _R ® | 519 |
| | 13.3. Assumptions of factorial ANOVA © | 520 |
| | 13.4. Factorial ANOVA using SPSS © | 520 |
| | 13.4.1. General procedure for factorial ANOVA © | 520 |
| | 13.4.2. Entering the data and accessing the main dialog box © | 521 |
| | 13.4.3. Graphing interactions © | 522 |
| | 13.4.4. Contrasts© | 523 |
| | 13.4.5. Post hoc tests © | 524 |
| | 13.4.6. Bootstrapping and other options © | 524 |

CONTENTS xiii

| | 13.5. Output from facto | rial ANOVA © | 526 |
|----|---------------------------|---|-------|
| | 13.5.1. Levene's to | est © | 526 |
| | 13.5.2. The main A | NOVA table © | 526 |
| | 13.5.3. Contrasts | | 529_ |
| | 13.5.4. Simple effe | ects analysis ® | 530 |
| | 13.5.5. Post hoc a | nalysis © | 532 |
| | 13.6. Interpreting intera | ction graphs © . | 533 |
| | 13.7. Calculating effect | sizes ® | 537 |
| | 13.8. Reporting the res | ults of two-way ANOVA© | 539 |
| | 13.9. Brian's attempt to | woo Jane © | 540 |
| | 13.10.Whatnext?© | | 541 |
| | 13.11.Key terms that I've | e discovered | 541 |
| | 13,12.Smart Alex's tasks | 3 | _ 541 |
| | 13.13.Further reading | | 542 |
| 14 | Repeated-measure | es designs (GLM 4) | 543 |
| | 14.1. What will this cha | pter tell me? © | 543 |
| | 14.2. Introduction to re | peated-measures designs ® | 544 |
| | | pption of sphericity © | 545 |
| | 14.2.2. How is sph | ericity measured? © | 545 |
| | 14.2.3. Assessing | the severity of departures from sphericity © | 546 |
| | 14.2.4. What is the | e effect of violating the assumption of sphericity? ® | 546 |
| | 14.2.5. What do yo | ou do if you violate sphericity? © | 548 |
| | 14.3. Theory of one-wa | y repeated-measures ANOVA © | 548 |
| | 14.3.1. The total su | um of squares, SS _T © | 551 |
| | 14.3.2. The within- | participant sum of squares, SS _W © | 551 |
| | 14.3.3. The model | sum of squares. SS _M © | 552 |
| | | al sum of squares, SS _R © | 553 |
| | 14.3.5. The mean | - | 553 |
| | 14.3.6. The F-ratio | © | 554 |
| | 14.3.7. The betwe | en-paiticipants sum of squares © | 554 |
| | | epeated-measures ANOVA ® | 555 |
| | · · | d-measures ANOVA using SPSS© | 555 |
| | • • | measures ANOVA: the general procedure © | 555 |
| | 14.5.2. The main a | | 555 |
| | | ontrasts for repeated measures © | 557 |
| | | ests and additional options ® | 558 |
| | | ay repeated-measures ANOVA © | 559 |
| | 14.6.1. Descriptive | es and other diagnostics © | 559 |
| | 14.6.2. Assessing | and correcting for sphericity: Mauchly's test © | 560 |
| | 14.6.3. The main A | NOVA© | 560 |
| | 14.6.4. Contrasts | 9 | 563 |
| | 14.6.5. Post hoc to | ests © | 565 |
| | 14.7. Effect sizes for re | peated-measures ANOVA © | 566 |
| | 14.8. Reporting one-wa | ay repeated-measures ANOVA © | 568 |
| | 14.9. Factorial repeated | d-measures designs © | 568 |
| | 14.9,1, The main a | analysis © | 570 |
| | 14.9.2, Contrasts | | 573 |
| | 14.9.3, Simple effe | ects analysis ® | 573 |
| | 14.9,4, Graphing i | nteractions © | 574 |
| | 14.9.5, Other optic | ons © | 574 |
| | 14.10.Output for factoria | al repeated-measures ANOVA © | 576 |

| | 14.10.1. Descriptives and main analysis © | 576 |
|-----|--|-------|
| | 14.10.2. Contrasts for repeated-measures variables © | 581 |
| | 14.11 Effect sizes for factorial repeated-measures ANOVA © | 586 |
| | 14,12.Reporting the results from factorial repeated-measures ANOVA © | .5.87 |
| | 14.13.Brian's attempt to woo Jane® | 588 |
| | 14.14.What next?© | 589 |
| | 14,15.Key terms that I've discovered * | 589 |
| | 14.16.Smart Alex's tasks | 589 |
| | 14,17.Further reading | 590 |
| 15 | Mixed design ANOVA (GLM 5) | 591 |
| | 15.1 What will this chapter tell me?© | 591 |
| | 15.2. Mixed designs © • | 592 |
| | 15.3. Assumptions in mixed designs © | 593 |
| | 15.4. What do men and women look for in a partner?© | 593 |
| | 15.5. Mixed ANOVA in SPSS © | 594 |
| | 15.5.1. Mixed ANOVA: the general procedure © | 594 |
| | 15.5.2. Entering data © | 594 |
| | 15.5.3. The main analysis© | 596 |
| | 15.5.4. Other options © | 598 |
| | 15.6. Output for mixed factorial ANOVA (D | 600 |
| | 15.6.1. The main effect of gender© | 602 |
| | 15.6.2. The main effect of looks © | 603 |
| | 15.6.3. The main effect of charisma © | 605 |
| | 15.6.4. The interaction between gender and looks © | 606 |
| | 15.6.5. The interaction between gender and charisma © | 607 |
| | 15.6.6. The interaction between attractiveness and charisma © | 608 |
| | 15.6.7. The interaction between looks, charisma and gender ® | 611 |
| | 15.6.8. Conclusions® | 614 |
| | 15.7. Calculating effect sizes ® | 615 |
| | 15.8. Reporting the results of mixed ANOVA© | 617 |
| | 15.9. Brian's attempt to woo Jane ® | 620 |
| | 15.10, Whatnext?© | 621 |
| | | 621 |
| | 15.11.Key terms that I've discovered 15.12.Smart Alex's tasks | 621 |
| | 15.13.Further reading | 622 |
| 4.5 | | |
| 16 | MuLtivariate analysis of variance (MANOVA) | 623 |
| | 16.1. What will this chapter tell me? © | 623 |
| | 16.2. When to use MANOVA © | 624 |
| | 16.3. Introduction • | 624 |
| | 16,3.1. Similarities to and differences from ANOVA © | 624 |
| | 16.3.2. Choosing outcomes © | 625 |
| | 16.3.3. The example for this chapter © | 626 |
| | 16.4. Theory of MANOVA ® | 626 |
| | 16.4.1. Introduction to matrices © | 626 |
| | 16.4.2. Some important matrices and their functions ® | 628 |
| | 16.4.3. Calculating MANOVA by hand: a worked example © | 629 |
| | 16.4.4. Principle of the MANOVA test statistic © | 637 |
| | 16.5. Practical issues when conducting MANOVA® | 642 |
| | 16.5.1. Assumptions and how to check them© | 642 |

CONTENTS XV

| | 16.5.2. What to do when assumptions are violated $ {}^{^\circ}\!\!\! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! $ | 643 |
|----|---|-------|
| | •16.5.3. Choosing a test statistic ® | 643 |
| | 16.5.4. Follow-up analysis© | 644 |
| •• | 16,6, MANOVA using SPSS © • | 644. |
| ; | .T6.6.1. General procedure of one-way ANOVA © | 644 |
| | ,16.6.2. The main analysis ©, | 645 |
|) | 16,6.3. Multiple comparisons in MANOVA® • | ; 646 |
| | .16.6.4. Additional options ©'J • '• | 646 |
| , | 16.7. Output from MANOVA®: | 647 |
| | 16.7.1. Preliminary analysis and testing assumptions ® | 647 |
| | 16.7.2. MANOVA test statistics © | 648 |
| | 16.7.3. Univariate test statistics © | 649 |
| | 16.7.4 SSCP matrices © | 650 |
| | 16.7.5. Contrasts© | • 652 |
| | 16.8. Reporting results from MANOVA© | 652 |
| | 16.9. Following up MANOVA with discriminant analysis ® | 654 |
| | 16.10.Output from the discriminant analysis © | 656 |
| | 16.11 .Reporting results from discriminant analysis © | 660 |
| | 16.12The final interpretation ® | 660 |
| | 16.13.Brian's attempt to woo Jane© | 662 |
| , | 16.14.Whatnext?© | 663 |
| | 16.15.Key terms that I've discovered | 663 |
| | 16.16.Smart Alex's tasks | 664 |
| | 16,17.Further reading | 664 |
| | | |
| 17 | Exploratory factor analysis | 665 |
| | 17,1. What will this chapter tell me? © | 665 |
| | 17.2. When to use factor analysis© | 666 |
| | 17.3. Factors and components © | 667 |
| | 17.3.1 Graphical representation© | 668 |
| | 17.3.2. Mathematical representation © | 669 |
| | 17.3.3. Factor scores © | 671 |
| | 17.4. Discovering factors © | 674 |
| | 17.4.1. Choosing a method © | 674 |
| | 17.4.2. •Communality© | 675 |
| | 17.4.3. Factor analysis or PCA? © | 675 |
| | 17.4.4. Theory behind PCA ® | 676 |
| | 17.4.5. Factor extraction: eigenvalues and the scree plot © | 677 |
| | 17.4.6. Improving interpretation: factor rotation ® | 678 |
| | 17.5. Research example© | 682 |
| | 17.5.1, General procedure © | 682 |
| | 17.5.2. Before you begin © | 683 |
| | 17.6. Running the analysis © | 686 |
| | 17.6.1. Factor extraction in SPSS® | 688 |
| | 17.6.2. Rotation© | 689 |
| | 17.6.3. Scores© | 691 |
| | 17.6.4. Options© | 691 |
| | 17.7. Interpreting output from SPSS © | 692 |
| | 17,7,1. Preliminary analysis © | 693 |
| | 17.7.2. Factor extraction © | 696 |
| | 17,7.3. Factor rotation © | 701 |
| | 17.7.4. Factor scores © | 704 |
| | 17.7.5. Summary© | 705 |

| | 17.8. How to report factor analysis © | 706 |
|-----|--|-----|
| | 17.9. Reliability analysis © | 706 |
| | 17.9.1. Measures of reliability® | 706 |
| | 17.9.2. Interpreting Cionbach's a (some cautionary tales) © | 709 |
| | 17.9.3. Reliability analysis in SPSS © | 710 |
| | 17.9.4. Reliability analysis output® | 712 |
| | 17.10,How to report reliability analysis © . | 716 |
| | 17.11.Brian's attempt to woo Jane © | 716 |
| | 17.I2.Whatnext?© | 717 |
| | 17.13.Key terms that I've discovered | 717 |
| | 17.14.Smart Alex's tasks | 717 |
| | 17.15.Further reading | 719 |
| 18 | Categorical data | 720 |
| . • | 18.1. What will this chapter tell me?© | 720 |
| | 18.2. Analysing categorical data© | 721 |
| | 18.3. Theory of analysing categorical data © | 721 |
| | 18.3.1. Pearson's chi-square test CD | 721 |
| | 18.3.2. Fisher's exact test CD | 723 |
| | 18.3.3. The likelihood ratio© | 724 |
| | 18.3.4. Yates's correction © | 724 |
| | 18.3.5. Other measures of association CD | 725 |
| | 18.3.6. Several categorical variables: loglinear analysis ® | 725 |
| | 18.4. Assumptions when analysing categorical data © | 735 |
| | 18.4.1. Independence CD | 735 |
| | 18.4.2. Expected frequencies ® | 735 |
| | 18.4.3. More doom and gloom © | 736 |
| | 18.5. Doing chi-square in SPSS© | 736 |
| | 18.5.1. General procedure for analysing categorical outcomes CD | 736 |
| | 18.5.2. Entering data CD | 736 |
| | 18.5.3. Running the analysis CD | 738 |
| | 18.5.4. Output for the chi-square test© | 740 |
| | 18.5,5,^'Breaking down a significant chi-square test with standardized residuals © | 743 |
| | 18,5.6. Calculating an effect size © | 744 |
| | '18.5.7. Reporting the results of chi-square CD | 746 |
| | 18.6. Loglinear analysis using SPSS © | 746 |
| | 18.6.1. Initial considerations© | 746 |
| | 18.6.2. Running loglinear analysis © | 748 |
| | 18,6,3. Output from loglinear analysis © | 750 |
| | - 18.6.4. Following up loglinear analysis © | 753 |
| | 18.7. Effect sizes in ioglinear analysis © | 755 |
| | 18.8. Reporting the results of loglinear analysis © | 756 |
| | 18.9. Brian's attempt to woo Jane© | 757 |
| | 18.10.Whatnext?© | 757 |
| | 18.11 .Key terms that I've discovered | 758 |
| | 18.12.Smart Alex's tasks | 758 |
| | 18.13.Further reading | 759 |
| 19 | Logistic regression | 760 |
| | 19.1. What will this chapter tell me?© | 760 |
| | 19.2. Background to logistic regression © | 76′ |
| | . J Latinground to regions regions in S | , 0 |

CONTENTS χvii

| | 19.3. | What are the principles behind logistic regression? ® | 762 |
|----|--------------------------|--|-----|
| | | 19.3.1. Assessing the model: the log-likelihood statistic ® | 763 |
| | | 19.3.2. Assessing the model: the deviance statistic © | 763 |
| | | 19.3.3. Assessing the model: R and fl ² ® | 764 |
| | | 19.3.4. Assessing the contribution of predictors: the Wald statistic © | 766 |
| | | 19.3.5. The odds ratio exp(S)® | 766 |
| | | 19.3.6. Model building and parsimony © | 767 |
| | 19.4. | Sources of bias and common problems © | 768 |
| | | 19.4.1. Assumptions© | 768 |
| | | 19.4.2. Incomplete information from the predictors © | 769 |
| | | 19.4.3. Complete separation © | 770 |
| | | 19.4.4. Overdispersion ® | 111 |
| | 19.5. | Binary logistic regression: an example that will make you feel eel © | 773 |
| | | 19.5. i. Building a model CD | 774 |
| | | 19.5.2. Logistic regression: the general procedure CD | 775 |
| | | 19.5.3. Data entry© | 775 |
| | | 19.5.4. Building the models in SPSS © | 775 |
| | | 19.5.5. Method of regression © | 776 |
| | | 19.5.6. Categorical predictors® | 776 |
| | | 19,5 7. Comparing the models © | 778 |
| | | 19.5.8. Rerunning the model CD | 780 |
| | | 19.5.9. Obtaining residuals ® | 781 |
| | | 19.5.10. Further options © | 781 |
| | | 19.5.11. Bootstrapping © | 782 |
| | 19.6. | Interpreting logistic regression © | 783 |
| | | 19.6.1. BlockO© | 783 |
| | | 19.6.2. Model summary © | 783 |
| | | 19.6.3. Listing predicted probabilities © | 789 |
| | | 19.6,4. Interpreting residuals © | 789 |
| | | 19.6,5. Calculating the effect size © | 792 |
| | 19.7. | How to report logistic regression © | 792 |
| | | Testing assumptions: another example © | 792 |
| | | 19.8.1. Testing for linearity of the logit ® | 794 |
| | | 19.8.2. Testing for multicollinearity © | 794 |
| | 19.9. | Predicting several categories: multinomial logistic regression ® | 797 |
| | | 19.9.1. Running multinomial logistic regression in SPSS ® | 799 |
| | | 19.9.2. Statistics® | 802 |
| | | 19.9.3. Other options © | 803 |
| | | 19.9.4. Interpreting the multinomial logistic regression output ® | 804 |
| | | 19.9.5. Reporting the results © | 811 |
| | 19.10 |),Brian's attempt to woo Jane © | 811 |
| | 19.11 | .What next?-© | 811 |
| | 19.12 | 2.Key terms that I've discovered ' | 812 |
| | | 3.Smart Alex's tasks | 812 |
| | 19.14 | Further reading | 813 |
| 20 | Multilevel linear models | | |
| | 20.1. | What will this chapter tell me? © | 814 |
| | | Hierarchical data© | 815 |
| | | 20.2.1. The intraclass correlation © | 816 |
| | | 20.2.2. Benefits of multilevel models © | 818 |
| | | | |

| | 20.3 | Theory of multilevel linear models ® | | 819 |
|------------|----------|---|---|-----|
| | | 20.3.1. An example© * | | 819 |
| | | 20.3.2. Fixed and random coefficients ® | | 820 |
| | 20.4 | The multilevel model © | ^ | 823 |
| | | 20.4.!. Assessing the fit and comparing multilevel models © | | 825 |
| | | 20.4.2. Types of covariance structures © | | 826 |
| | 20.5 | Some practical issues ${f @}$. | | 827 |
| | | 20.5.1. Assumptions® | | 827 |
| | | 20.5.2. Robust multilevel models ® | | 828 |
| | | 20.5.3. Sample size and power ❖ | | 829 |
| | | 20.5.4. Centring predictors® | | 829 |
| | 20.6 | Multilevel modelling using SPSS © | | 830 |
| | | 20.6.1. Entering the data© | | 831 |
| | | 20.6.2. Ignoring the data structure: ANOVA© • | | 831 |
| | | 20.6.3. Ignoring the data structure: ANCOVA © | | 836 |
| | | 20.6.4. Factoring in the data structure: random intercepts ® | | 837 |
| | | 20.6.5. Factoring in the data structure: random intercepts and slopes © | | 841 |
| | | 20.6.6. Adding an interaction to the model © | | 845 |
| | 20.7. | Growth models © | | 849 |
| | | 20.7.1. Growth curves (polynomials) © | | 850 |
| | | 20.7.2. An example: the honeymoon period © | | 851 |
| | | 20.7.3. Restructuring the data® | | 853 |
| | | 20.7.4. Running a growth model on SPSS © | | 854 |
| | | 20.7.5 Further analysis© | | 860 |
| | 20.8. | How to report a multilevel model ® | | 862 |
| | 20.9. | A message from the octopus of inescapable despair © | | 863 |
| | 20.10 | D.Brian's attempt to woo Jane © | | 864 |
| | 20.11 | I.What next?© | | 864 |
| | 20.12 | 2.Key terms that I've discovered | | 865 |
| | 20.13 | 3.Smart Alex's tasks | | 865 |
| | 20.14 | 1.Further reading | | 866 |
| | | | | |
| 21 | Enil | ogue: life after discovering statistics | 9 | 867 |
| - ' | • | . Nice emails | • | |
| | | | | 867 |
| | | Everybody thinks that I'm a statistician | | 868 |
| | 21.3. | Craziness on a grand scale | | 868 |
| | | 21.3.1. Catistics | | |
| | | 21.3.2. Cult of underlying numerical truths | | |
| | | 21.3.3. And then it got really weird | | 869 |
| Glos | Glossary | | | |
| Appendix | | | | 887 |
| References | | | | 899 |
| Index | | | | 908 |
| | | | | |