

Multilevel and Longitudinal Modeling with IBM SPSS

Second Edition

Ronald H. Heck
University of Hawai'i at Manoa

Scott L. Thomas
Claremont Graduate University

I

Lynn N. Tabata
University of Hawai'i at Manoa

Contents

Preface	xv
Chapter 1 Introduction to Multilevel Modeling with IBM SPSS	1
Our Intent	2
Overview of Topics	4
Analysis of Multilevel Data Structures	4
Partitioning Variation in an Outcome	8
Developing a General Multilevel-Modeling Strategy	9
Illustrating the Steps in Investigating a Proposed Model	10
1. One-Way ANOVA (No Predictors) Model	11
2. Analyze a Level 1 Model with Fixed Predictors	12
3. Add the Level 2 Explanatory Variables	13
4. Examine Whether a Particular Slope Coefficient Varies Between Groups	14
5. Adding Cross-Level Interactions to Explain Variation in the Slope	15
Syntax Versus IBM SPSS Menu Command Formulation	16
Model Estimation and Other Typical Multilevel-Modeling Issues	18
Sample Size	20
Power	20
Differences Between Multilevel Software Programs	21
Standardized and Unstandardized Coefficients	21
Missing Data	22
Missing Data at Level 2	26
Missing Data in Vertical Format in IBM SPSS MIXED	28
Design Effects, Sample Weights, and the Complex Samples Routine in IBM SPSS	30
An Example Using Multilevel Weights	32
Summary	34
Chapter 2 Preparing and Examining the Data for Multilevel Analyses	35
Data Requirements	35
File Layout	36
Getting Familiar with Basic IBM SPSS Data Commands	38
Recode: Creating a New Variable Through Recoding	39
Recoding Old Values to New Values	39
Recoding Old Values to New Values Using "Range"	41
Compute: Creating a New Variable That Is a Function of Some Other Variable	44
Match Files: Combining Data From Separate IBM SPSS Files	46
Aggregate: Collapsing Data Within Level 2 Units	52
VARSTOCASES: Vertical Versus Horizontal Data Structures	53
Using "Compute" and "Rank" to Recode the Level 1 or Level 2 Data for Nested Models	59
Creating an Identifier Variable	59
Creating an Individual-Level Identifier Using "Compute"	60
Creating a Group-Level Identifier Using "Rank Cases"	61
Creating a Within-Group-Level Identifier Using "Rank Cases"	63
Centering	65

Grand-Mean Centering	67
Group-Mean Centering	69
Checking the Data	72
A Note About Model Building	73
Summary	73

Chapter 3 Defining a Basic Two-Level Multilevel Regression Model **75**

From Single-Level to Multilevel Analysis	75
Building a Two-Level Model	77
Research Questions	78
The Data	78
Specifying the Model	78
Graphing the Relationship Between SES and Math Test Scores with IBM SPSS Menu Commands	80
Graphing the Subgroup Relationships Between SES and Math Test Scores with IBM SPSS Menu Commands	86
Building a Multilevel Model with IBM SPSS MIXED	88
Step 1: Examining Variance Components Using the Null Model	89
Defining Model 1 (Null) with IBM SPSS Menu Commands	90
Interpreting the Output From Model 1 (Null)	93
Step 2: Building the Individual-Level (or Level 1) Random Intercept Model	95
Defining Model 2 with IBM SPSS Menu Commands	96
Interpreting the Output From Model 2	98
Step 3: Building the Group-Level (or Level 2) Random Intercept Model	101
Defining Model 3 with IBM SPSS Menu Commands	102
Interpreting the Output From Model 3	104
Defining Model 3A (<i>Public</i> as Covariate) with IBM SPSS Menu Commands	108
Step 4: Adding a Randomly Varying Slope (the Random Slope and Intercept Model)	110
Defining Model 4 with IBM SPSS Menu Commands	111
Interpreting the Output From Model 4	113
Step 5: Explaining Variability in the Random Slope (More Complex Random Slopes and Intercept Models)	115
Defining Model 5 with IBM SPSS Menu Commands	116
Add First Interaction to Model 5: <i>ses_mean*ses</i>	118
Add Second Interaction to Model 5: <i>pro4yrc*ses</i>	118
Add Third Interaction to Model 5: <i>public*ses</i>	118
Interpreting the Output From Model 5	119
Defining Model 5A with IBM SPSS Menu Commands	121
Graphing a Cross-Level Interaction (SES-Achievement Relationships in High- and Low-Achieving Schools) with IBM SPSS Menu Commands	123
4 Centering Predictors	126
Centering Predictors in Models with Random Slopes	128
Summary	130

Chapter 4 Three-Level Univariate Regression Models **131**

Three-Level Univariate Model	131
Research Questions	131
The Data	132

Defining the Three-Level Multilevel Model	133
The Null Model (No Predictors)	134
Defining Model 1 (Null) with IBM SPSS Menu Commands	135
Interpreting the Output From Model 1 (Null)	138
Model 2: Defining Predictors at Each Level	139
Defining Model 2 with IBM SPSS Menu Commands	142
Interpreting the Output From Model 2	144
Model 3: Group-Mean Centering	145
Defining Model 3 with IBM SPSS Menu Commands	145
Interpreting the Output From Model 3	147
Covariance Estimates	148
Model 4: Does the Slope Vary Randomly Across Schools?	149
Defining Model 4 with IBM SPSS Menu Commands	150
Interpreting the Output From Model 4	153
Developing an Interaction Term	154
Preliminary Investigation of the Interaction	155
Defining Models A and B (Preliminary Testing of Interactions) with IBM SPSS Menu Commands	156
Model A Test Interaction: <i>teacheffect*classloiuses_mean</i>	158
Model B Test Interaction: <i>gmteacheffect*gmclasslowses_mean</i>	159
Model 5: Examining a Level 2 Interaction	161
Defining Model 5 with IBM SPSS Menu Commands	161
Add Interaction to Model 5: <i>gmclasslowses_mean*gmteacheffect</i>	163
Interpreting the Output From Model 5	163
Comparing the Fit of Successive Models	164
Summary	166
Chapter 5 Examining Individual Change with Repeated Measures Data	167
Ways to Examine Repeated Observations on Individuals	167
Considerations in Specifying a Linear Mixed Model	168
An Example Study	171
Research Questions	171
The Data	171
Examining the Shape of Students' Growth Trajectories	173
* Graphing the Linear and Nonlinear Growth Trajectories with IBM SPSS Menu Commands	175
Select Subset of Individuals	176
Generate Figure 5.3 (Linear Trajectory)	178
Generate Figure 5.4 (Nonlinear Quadratic Trajectory) *	180
Coding the Time-Related Variables *	181
Coding Time Interval Variables (<i>time to quadtime</i>) with IBM SPSS Menu Commands	182
v Coding Time Interval Variables (<i>time to orthtime, orthquad</i>) with IBM SPSS Menu Commands	184
Specifying the Two-Level Model of Individual Change	186
Level 1 Covariance Structure	188
Repeated Covariance Dialog Box	188
Model 1.1: Model with No Predictors	191
Defining Model 1.1 (Null) with IBM SPSS Menu Commands	192
Interpreting the Output From Model 1.1 (Null)	195
Model 1.1A: What Is the Shape of the Trajectory?	196

Defining Model 1.1A with IBM SPSS Menu Commands	197
Interpreting the Output From Model 1.1A	199
Does the Time-Related Slope Vary Across Groups?	200
Level 2 Covariance Structure	201
Defining Model 1.1B with IBM SPSS Menu Commands	201
Interpreting the Output From Model 1.1B	203
Examining Orthogonal Components	204
Defining Model 1.2 with IBM SPSS Menu Commands	205
Interpreting the Output From Model 1.2	207
Specifying the Level 1 Covariance Structure	208
Investigating Other Level 1 Covariance Structures	209
Defining Other Level 1 Covariance Structures Using IBM SPSS Menu Commands	210
Model 1: ID (Level 1), UN (Level 2)	210
Scaled Identity Covariance Matrix at Level 1	210
Unstructured Covariance Matrix at Level 2	211
Model 2: DIAG (Level 1), DIAG (Level 2)	211
Diagonal Covariance Matrix at Level 1	211
Diagonal Covariance Matrix at Level 2	212
Model 3: DIAG (Level 1), UN (Level 2)	212
Diagonal Covariance Matrix at Level 1	212
Unstructured Covariance Matrix at Level 2	213
Model 4: AR1 (Level 1), DIAG (Level 2)	213
Autoregressive Errors (AR1) Covariance Matrix at Level 1	213
Diagonal Covariance Matrix at Level 2	214
Model 1.3: Adding the Between-Subjects Predictors	214
Defining Model 1.3 with IBM SPSS Menu Commands	215
Add First Cross-Level Interaction to Model 1.3: <i>ses*orthtime</i>	218
Add Second Cross-Level Interaction to Model 1.3: <i>effective*orthtime</i>	218
Interpreting the Output From Model 1.3	219
Graphing the Results	222
Graphing the Growth Rate Trajectories with SPSS Menu Commands	223
Examining Growth Using an Alternative Specification of the Time-Related Variable	224
Coding Time Interval Variables (<i>time</i> to <i>timenonlin</i> Variations) with IBM SPSS Menu Commands	225
Estimating the Final Time-Related Model	227
Defining Model 2.1 with IBM SPSS Menu Commands	227
Adding the Two Predictors	229
Defining Model 2.2 with IBM SPSS Menu Commands	229
Add First Interaction to Model 2.2: <i>ses*timenonlin</i>	230
Add Second Interaction to Model 2.2: <i>effective*timenonlin</i>	231
Interpreting the Output From Model 2.2	231
* v, An Example Experimental Design	233
Summary	238
Chapter 6 Applications of Mixed Models for Longitudinal Data	239
Examining Growth in Undergraduate Graduation Rates	239
Research Questions	240

The Data	240
Defining the Model	242
Level 1 Model	243
Level 2 Model	244
Level 3 Model	244
The Null Model: No Predictors	245
Level 1 Error Structures	246
Defining Model 1.1 (Null) with IBM SPSS Menu Commands	248
Interpreting the Output From Model 1.1 (Null)	252
Model 1.2: Adding Growth Rates	252
Level 1 Model	253
Coding the Time Variable	254
Defining Model 1.2 with IBM SPSS Menu Commands	256
Interpreting the Output From Model 1.2	259
Model 1.3: Adding Time-Varying Covariates	260
Defining Model 1.3 with IBM SPSS Menu Commands	261
Interpreting the Output From Model 1.3	263
Model 1.4: Explaining Differences in Growth Trajectories Between Institutions	263
Defining Model 1.4 with IBM SPSS Menu Commands	264
Add First Interaction to Model 1.4: <i>timel*mathselect</i>	266
Add Second Interaction to Model 1.4: <i>timel*percentFTfaculty</i>	266
Interpreting the Output From Model 1.4	267
Model 1.5: Adding a Model to Examine Growth Rates at Level 3	268
Defining Model 1.5 with IBM SPSS Menu Commands	269
Add First Interaction to Model 1.5: <i>timel*aveFamilyshare</i>	270
Add Second Interaction to Model 1.5: <i>timel*aveRetention</i>	270
Add Third Interaction to Model 1.5: <i>timel*mathselect</i>	270
Add Fourth Interaction to Model 1.5: <i>timel*percentFTfaculty</i>	271
Interpreting the Output From Model 1.5	271
A Regression Discontinuity Analysis of a Math Treatment	272
The Data and Design	273
Assumptions of the Design	274
Steps in the Regression Discontinuity Analysis	275
Predictors in the Models	275
Specifying the Model	275
Regression Discontinuity Models to Explain Learning Differences	277
Defining Model 2.1 with IBM SPSS Menu Commands	277
Interpreting the Output From Model 2.1	280
Adding Explanatory Variables at Level 2	282
Defining Model 2.2 with IBM SPSS Menu Commands [^]	282
Add First Interaction to Model 2.2: <i>teachquafreatment</i>	283
Add Second Interaction to Model 2.2: <i>classcomp*treatment</i>	283
Interpreting the Output From Model 2.2	284
Investigating a Change Due to Policy Implementation	284
The Data	286
Model 3.1: Establishing the Prepolicy and Policy Trends	287
Defining Model 3.1 with IBM SPSS Menu Commands	288
Interpreting the Output From Model 3.1	291
Final Model with Covariates Added	292
Defining Model 3.2 with IBM SPSS Menu Commands	293

Add First Interaction to Model 3.2: <i>implementO*private</i>	294
Add Second Interaction to Model 3.2: <i>implementO*pre\$tige</i>	294
Add Third Interaction to Model 3.2: <i>implementl*private</i>	294
Add Fourth Interaction to Model 3.2: <i>implementl*prestige</i>	294
Interpreting the Output From Model 3.2	295
Summary	295
Chapter 7 Multivariate Multilevel Models	297
Multilevel Latent-Outcome Model	297
The Data	298
Research Questions	299
Defining the Constructs	299
Organizing the Data Set	300
Specifying the Model	301
Model 1.1: The Null or "No-Predictors" Model	302
Defining the Model 1.1 (Null) with IBM SPSS Menu Commands	304
Interpreting the Output From Model 1.1 (Null)	309
Conducting a Likelihood Ratio Test	311
Defining Model 1.2 (Final Null Model) with IBM SPSS Menu Commands	312
Model 1.3: Adding Level 2 Predictors	315
Defining Model 1.3 with IBM SPSS Menu Commands	316
Add First Interaction to Model 1.3: <i>stability*assessjob</i>	318
Add Second Interaction to Model 1.3: <i>female*assessjob</i>	318
Interpreting the Output From Model 1.3	319
Model 1.4: Adding the Organizational Predictors	320
Defining Model 1.4 with IBM SPSS Menu Commands	321
Add First Interaction to Model 1.4: <i>gmorgprocfassessjob</i>	323
Add Second Interaction to Model 1.4: <i>gmresources*assessjob</i>	323
Add Third Interaction to Model 1.4: <i>stability*assessjob</i>	323
Add Fourth Interaction to Model 1.4: <i>female*assessjob</i>	323
Interpreting the Output From Model 1.4	325
Examining Equality Constraints	326
Defining Model 1.5 with IBM SPSS Menu Commands	326
Investigating a Random Level 2 Slope	328
Defining Models 1.6 and 1.7 with IBM SPSS Menu Commands	329
Model 1.6	329
Model 1.7	330
Add First Interaction to Model 1.7: <i>gmorprod*assessjob</i>	330
Add Second Interaction to Model 1.7: <i>gmresources*assessjgb</i>	331
Add Third Interaction to Model 1.7: <i>stability*assessjob</i>	331
Add Fourth Interaction to Model 1.7: <i>female*assessjob</i>	331
¹ Multivariate Multilevel Model for Correlated Observed Outcomes	331
* The Data	331
Research Questions	331
Formulating the Basic Model	332
Model 2.1: Null Model (No Predictors)	334
Defining Model 2.1 (Null) with IBM SPSS Menu Commands	334
Examining the Syntax Commands	339
Interpreting the Output From Model 2.1	339
Model 2.2: Building a Complete Model (Predictors and Cross-Level Interactions)	340

Defining Model 2.2 with IBM SPSS Menu Commands	340
Add First Interaction to Model 2.2: <i>Index1*gmacadpress</i>	342
Add Second Interaction to Model 2.2: <i>Index1*female</i>	342
Interpreting the Output From Model 2.2	342
Testing the Hypotheses	344
Correlations Between Tests at Each Level	344
Defining Model 2.3 with IBM SPSS Menu Commands	345
Investigating a Random Slope	346
Defining a Parallel Growth Process	346
The Data	346
Research Questions	347
Preparing the Data	347
Model 3.1: Specifying the Time Model	348
Defining Model 3.1 with IBM SPSS Menu Commands	350
Add First Interaction to Model 3.1: <i>math*orthtime</i>	352
Add Second Interaction to Model 3.1: <i>math*orthquadtime</i>	352
Interpreting the Output From Model 3.1	354
Model 3.2: Adding the Predictors	355
Defining Model 3.2 with IBM SPSS Menu Commands	355
Add First Interaction to Model 3.2: <i>math*schcontext</i>	356
Add Second Interaction to Model 3.2: <i>math*female</i>	357
Add Third Interaction to Model 3.2: <i>math*orthtime</i>	357
Add Fourth Interaction to Model 3.2: <i>math*orthquadtime</i>	357
Add Fifth Interaction to Model 3.2: <i>schcontext*math*orthtime</i>	357
Add Sixth Interaction to Model 3.2: <i>female*math*orthtime</i>	358
Interpreting the Output From Model 3.2	358
Further Considerations	359
Defining Model 3.3 with IBM SPSS Menu Commands	360
Summary	361
Chapter 8 Cross-Classified Multilevel Models	363
Students Cross-Classified in High Schools and Postsecondary Institutions	363
Research Questions	364
The Data	364
Descriptive Statistics	366
Defining Models in IBM SPSS	367
Model 1.1: Adding a Set of Level 1 and Level 2 Predictors	369
Defining Model 1.1 with IBM SPSS Menu Commands *	370
Interpreting the Output From Model 1.1 *	374
Model 1.2: Investigating a Random Slope	375
Defining Model 1.2 with IBM SPSS Menu Commands	376
Interpreting the Output From Model 1.2	378
Model 1.3: Explaining Variation Between Variables	378
Defining Model 1.3 with IBM SPSS Menu Commands	379
Add Interaction to Model 1.3: <i>gmlowSES_mean*gmfemale</i>	380
Interpreting the Output From Model 1.3	382
Developing a Cross-Classified Teacher Effectiveness Model	383
The Data Structure and Model	383
Research Questions	384
Model 2.1: Intercept-Only Model (Null)	385

Defining Model 2.1 (Null) with IBM SPSS Menu Commands	386
Interpreting Output From Model 2.1 (Null)	390
Model 2.2: Defining the Cross-Classified Model with Previous Achievement	390
Defining Model 2.2 with IBM SPSS Menu Commands	391
Interpreting the Output From Model 2.2	393
Model 2.3: Adding Teacher Effectiveness and a Student Background Control	394
Defining Model 2.3 with IBM SPSS Menu Commands	395
Interpreting the Output From Model 2.3	397
Model 2.4: Adding a School-Level Predictor and a Random Slope	398
Defining Model 2.4 with IBM SPSS Menu Commands	398
Interpreting the Output From Model 2.4	401
Model 2.5: Examining Level 3 Differences Between Institutions	401
Defining Model 2.5 with IBM SPSS Menu Commands	402
Interpreting the Output From Model 2.5	405
Model 2.6: Adding a Level 3 Cross-Level Interaction	405
Defining Model 2.6 with IBM SPSS Menu Commands	406
Add Interaction to Model 2.6: <i>effmath2*schqual</i>	407
Interpreting the Output From Model 2.6	408
Summary	408
Chapter 9 Concluding Thoughts	409
References	413
Appendices	
Appendix A: Syntax Statements	417
Appendix B: Model Comparisons Across Software Applications	435
Appendix C: Syntax Routine to Estimate Rho From Model's Variance Components	437
Author Index	439
Subject Index	441