

Cdition

ADVENTURES / SOCIAL RESEARCH

Data Analysis Using IBM* SPSS* Statistics

Earl Babbie

Chapman University

William E. Wagner, III

California State University, Channel Islands

Jeanne Zaino

Iona College

(DSAGE)

Los Angeles | London | New Delhi
Singapore | Washington DC | Boston

BRIEF CONTENTS

Preface xvii

About the Authors xxiii

Part I Preparing for Data Analysis

Chapter 1 Introduction: The Theory and Practice of Social Research 3

Chapter 2 The Logic of Measurement 15

Chapter 3 Description of Data Sets: The General Social Survey 25

Part II Univariate Analysis

Chapter 4 Using SPSS Statistics: Some Basics 33

Chapter 5 Describing Your Data: Religiosity 51

Chapter 6 Presenting Your Data in Graphic Form: Political Orientations

Chapter 7 Recoding Your Data: Religiosity and Political Orientations 99

**Chapter 8 Creating Composite Measures: Exploring Attitudes
Toward Abortion in More Depth 123**

Chapter 9 Suggestions for Further Analysis 143

Part III Bivariate Analysis

Chapter 10 Examining the Sources of Religiosity 159

Chapter 11 Political Orientations as Cause and Effect 177

Chapter 12 What Causes Different Attitudes Toward Abortion? 193

Chapter 13 Measures of Association for Nominal and Ordinal Variables

Chapter 14 Correlation and Regression Analysis 235

Chapter 15 Tests of Significance 263

Chapter 16 Suggestions for Further Bivariate Analyses 287

Part IV Multivariate Analysis 297

Chapter 17 Multiple Causation: Examining Religiosity in Greater Depth 299

Chapter 18 Dissecting the Political Factor 321

Chapter 19 A Powerful Prediction of Attitudes Toward Abortion 333

Chapter 20 Suggestions for Further Multivariate Analyses 355

Part V The Adventure Continues 367

Chapter 21 Designing and Executing Your Own Survey 369

Chapter 22 Further Opportunities for Social Research 391

Appendix A: The Codebook 399

Appendix B: Questionnaire for Class Survey 437

Index/Glossary 455

DETAILED CONTENTS

Preface xvii

About the Authors xxiii

Part I Preparing for Data Analysis 1

Chapter 1 Introduction: The Theory and Practice of Social Research 3

- Overview 3
- Why Use a Database? 4
- SPSS Statistics 4
- Social Research: A Primer 5
- Concepts and Theories: Deprivation Theory 6
- Variables and Hypotheses:
 - Religiosity 7
- Table 1.1: Concepts, Theories, Variables, and Hypotheses 7**
- Table 1.2: Variables and Categories 8**
- Social Research Strategies:
 - Inductive and Deductive 8
- Theory and Research in Practice 10
 - Example 1: Political Orientations* 10
 - Example 2: Attitudes Toward Abortion* 10
- Conclusion 11
- Main Points 12
- Key Terms 12
- Review Questions 12

Chapter 2 The Logic of Measurement 15

- Validity Problems 15
- Reliability Problems 16
- Distinguishing Between Validity and Reliability 17

- Multiple Indicators 18
- Levels of Measurement 18
 - Nominal Variables* 18
 - Ordinal Variables* 19
 - Ratio Variables* 19
 - Interval Variables* 19
- Measurement and Information 20
- Table 2.1: Levels of Measurement 20**
- Measurement Options 21
- Classifying Variables as Discrete or Continuous 21
- Conclusion 21
- Table 2.2: Tips for Distinguishing Between Discrete and Continuous Variables 22**
- Main Points 22
- Key Terms 22
- Review Questions 23

Chapter 3 Description of Data Sets: The General Social Survey 25

- Sampling 26
- Data Collection 27
- The Codebook: Appendix A 27
 - Data Set 1: DEMO.SAV* 28
 - Data Set 2: EXER.SAV* 28
 - Data Set 3: GSS2012.SAV* 28
- Conclusion 28
- Main Points 28
- Key Terms 29
- Review Questions 29

Part II Univariate Analysis 31

Chapter 4 Using SPSS Statistics: Some Basics 33

- Demonstration 4.1: Starting an SPSS Statistics Session 33
- SPSS Statistics Command 4.1:
 - Starting an SPSS Statistics Session 33
- Demonstration 4.2: Exploring the Data View Portion of the Data Editor 35

| | | | |
|--|-----------|--|----|
| Menu Bar | 35 | SPSS Statistics Command 5.1: Shortcut for Opening Frequently Used Data Files | 52 |
| Getting Help | 36 | Demonstration 5.2: Setting Options— Variable Lists and Output Labels | 53 |
| SPSS Statistics Command 4.2: Accessing the Help Menu | 36 | SPSS Statistics Command 5.2: Setting Options—Displaying Abbreviated Variable Names Alphabetically | 53 |
| Toolbar | 36 | SPSS Statistics Command 5.3: Setting Options—Output Labels | 54 |
| Dialog Boxes | 36 | SPSS Statistics Command 5.4: Setting Values and Labels as "Missing" | 56 |
| SPSS Statistics Command 4.3: Getting Help in a Dialog Box | 37 | Demonstration 5.3: Frequency Distributions | 56 |
| Scroll Bars: Moving Through the Data Editor | 37 | SPSS Statistics Command 5.5: Running Frequency Distributions | 59 |
| SPSS Statistics Command 4.4: Moving Through the Data Screen | 38 | <i>The SPSS Statistics Viewer:</i> Output | 59 |
| Demonstration 4.3: Entering Data— A Preview | 38 | SPSS Statistics Command 5.6: Navigating Through the SPSS Statistics Viewer | 59 |
| Demonstration 4.4: Loading a Data Set | 39 | SPSS Statistics Command 5.7: Changing the Width of the Outline Pane | 59 |
| SPSS Statistics Command 4.5: Opening a Data File | 40 | <i>Hiding and Displaying Results in the Viewer</i> | 60 |
| Demonstration 4.5: Raw Data in Data View | 41 | SPSS Statistics Command 5.8: Hiding and Displaying Results in the Viewer | 60 |
| Finding Variable Information: Values and Labels | 41 | SPSS Statistics Command 5.9: Hiding and Displaying All Results From a Procedure | 60 |
| Option 1: Variables Dialog Box | 42 | <i>Reading Frequency Distributions</i> | 60 |
| Option 2: Toggling Between Numeric Values and Value Labels | 43 | Demonstration 5.4: Frequency Distributions—Running Two or More Variables at One Time | 61 |
| Option 3: Value Labels Tool | 44 | SPSS Statistics Command 5.10: Running Frequency Distributions With Two or More Variables | 63 |
| SPSS Statistics Command 4.6: Finding Information on Variables | 44 | Writing Box 5.1 | 64 |
| Demonstration 4.6: Variable View Tab | 45 | Descriptive Statistics: Basic Measures of Central Tendency and Dispersion | 65 |
| SPSS Statistics Command 4.7: Finding Information on Variables in Variable View | 46 | Table 5.1: Basic Descriptive Statistics Appropriate for Different Types of Variables | 66 |
| Demonstration 4.7: Ending Your SPSS Statistics Session | 46 | Table 5.2: Basic Descriptive Statistics Appropriate for Different Levels of Measurement | 66 |
| SPSS Statistics Command 4.8: Ending Your SPSS Statistics Session | 46 | | |
| Conclusion | 47 | | |
| Main Points | 47 | | |
| Key Terms | 47 | | |
| SPSS Statistics Commands Introduced in This Chapter | 47 | | |
| Review Questions | 47 | | |
| SPSS Statistics Lab Exercise 4.1 | 49 | | |
| Chapter 5 Describing Your Data: Religiosity | 51 | | |
| Demonstration 5.1: Opening Frequently Used Data Files | 51 | | |

Demonstration 5.5: The Frequencies Procedure 67

- SPSS Statistics Command 5.11: The Frequencies Procedure—Descriptive Statistics (Discrete Variables) 69

Demonstration 5.6: The Descriptives Procedure—Calculating Descriptive Statistics for Continuous Variables 69

- SPSS Statistics Command 5.12: The Descriptives Procedure—Descriptive Statistics (Continuous Variables) 71

Demonstration 5.7: Printing Your Output (Viewer) 71

- SPSS Statistics Command 5.13: Printing Your Output (Viewer) 71
- SPSS Statistics Command 5.14: Print Preview 71

Demonstration 5.8: Adding Headers/ Footers and Titles/Text 72

- SPSS Statistics Command 5.15: Adding Headers and Footers 72
- SPSS Statistics Command 5.16: Adding Titles/Text 72

Demonstration 5.9: Saving Your Output (Viewer) 72

- SPSS Statistics Command 5.17: Saving Your Output (Viewer) 73

Demonstration 5.10: Saving Changes to Your Data Set 73

- SPSS Statistics Command 5.18: Saving Changes Made to an Existing Data Set 74

Conclusion 74

Main Points 74

Key Terms 75

SPSS Statistics Commands Introduced in This Chapter 75

Review Questions 76

SPSS Statistics Lab Exercise 5.1 77

Chapter 6 Presenting Your Data in Graphic Form: Political Orientations 79

Graphing Data With Direct "Legacy" Dialogs 79

Demonstration 6.1: Frequency Table—POLVIEWS 79

- Bar Chart: POLVIEWS* 80

- SPSS Statistics Command 6.1: Simple Bar Chart 83

Demonstration 6.2: SPSS Statistics Chart Editor 83

- SPSS Statistics Command 6.2: SPSS Statistics Chart Editor 84

Demonstration 6.3: Frequency Table—PARTYID 85

- Pie Chart: PARTYID* 85
- SPSS Statistics Command 6.3: Pie Chart 87
- SPSS Statistics Command 6.4: Accessing Pie Options (SPSS Statistics Chart Editor) 88

Demonstration 6.4: Political Attitudes 89

Writing Box 6.1 89

Demonstration 6.5: Histogram—AGE 90

- SPSS Statistics Command 6.5: Histogram 91

Demonstration 6.6: Line Chart—INCOME 92

- SPSS Statistics Command 6.6: Simple Line Chart 94
- Some Guidelines for Choosing a Chart or Graph* 94

Table 6.1: Charts Appropriate for Variables of Different Types 94

Table 6.2: Charts Appropriate for Variables at Different Levels of Measurement 94

Saving and Printing Your Charts 95

Conclusion 95

Main Points 95

Key Terms 95

SPSS Statistics Commands Introduced in This Chapter 95

Review Questions 96

SPSS Statistics Lab Exercise 6.1 97

Chapter 7 Recoding Your Data: Religiosity and Political Orientations 99

Demonstration 7.1: Modifying Variables With Recode—ATTEND CHATT 99

- Summary of Steps Involved in Recoding* 107

Demonstration 7.2: Recoding AGE → AGECAT 108

Writing Box 7.1 110

| | | |
|--|------------|--|
| SPSS Statistics Command 7.1: Recoding a Variable | 111 | |
| Demonstration 7.3: Recoding POLVIEWS -> POLREC | 111 | |
| Demonstration 7.4: Recoding PARTYID -> PARTY | 113 | |
| Writing Box 7.2 | 115 | |
| Demonstration 7.5: Saving Changes to Your Data Set | 115 | |
| SPSS Statistics Command 7.2: Saving Changes Made to an Existing Data Set | 116 | |
| Conclusion | 116 | |
| Main Points | 116 | |
| Key Term | 117 | |
| SPSS Statistics Commands Introduced in This Chapter | 117 | |
| Review Questions | 117 | |
| SPSS Statistics Lab Exercise 7.1 | 119 | |
| Chapter 8 Creating Composite Measures: Exploring Attitudes Toward Abortion in More Depth | 123 | |
| Demonstration 8.1: Identifying the Seven Abortion Variables— File Info | 123 | |
| SPSS Statistics Command 8.1: Identifying Variables—File Info | 124 | |
| Demonstration 8.2: Running Frequencies for Several Variables at Once | 124 | |
| SPSS Statistics Command 8.2: Running Frequencies for Several Variables (Not Clustered) | 124 | |
| <i>Items With the Highest Levels of Support</i> | 125 | |
| <i>Items With Less Support</i> | 126 | |
| <i>Unconditional Support for Abortion</i> | 126 | |
| <i>Support for Abortion: An Overview</i> | 127 | |
| Table 8.1: Variations in Levels of Support for Abortion | 127 | |
| Index: A Form of Composite Measure | 128 | |
| <i>ABORT Index</i> | 128 | |
| <i>ABORT Index Scores</i> | 129 | |
| Demonstration 8.3: ABORT Index | 129 | |
| Demonstration 8.4: Defining ABORT | 132 | |
| Demonstration 8.5: Checking New Index—Comparing Scores on Old and New Variables | 133 | |
| Demonstration 8.6: Running Frequencies for ABORT | 133 | |
| SPSS Statistics Command 8.3: Creating a Simple Index Using Count | 134 | |
| <i>ABINDEX: Index Based on Six Abortion Variables</i> | 135 | |
| Demonstration 8.7: ABINDEX | 135 | |
| Demonstration 8.8: Running Frequencies | 137 | |
| Writing Box 8.1: Description of ABINDEX | 138 | |
| Conclusion | 138 | |
| Main Points | 139 | |
| Key Terms | 139 | |
| SPSS Statistics Commands Introduced in This Chapter | 139 | |
| Review Questions | 139 | |
| SPSS Statistics Lab Exercise 8.1 | 141 | |
| Chapter 9 Suggestions for Further Analysis | 143 | |
| Desired Family Size | 143 | |
| Demonstration 9.1: Respondents' Ideal Family Size (CHLDIDEL) | 144 | |
| Writing Box 9.1 | 145 | |
| Child Rearing | 145 | |
| Demonstration 9.2: Important Qualities for Children | 145 | |
| Writing Box 9.2 | 148 | |
| Attitudes About Sexual Behavior | 148 | |
| Demonstration 9.3: Index of Sexual Permissiveness | 149 | |
| SPSS Statistics Command 9.1: Setting Values and Labels as "Missing" Using "Range Plus One" Option | 149 | |
| Writing Box 9.3: Description of SEXPERM Index | 151 | |
| Prejudice | 151 | |
| Writing Box 9.4 | 153 | |
| Conclusion | 153 | |
| Main Points | 154 | |
| Key Term | 154 | |
| SPSS Statistics Command Introduced in This Chapter | 154 | |
| Review Questions | 154 | |
| SPSS Statistics Lab Exercise 9.1 | 155 | |

Chapter 10 Examining the Sources of Religiosity 159**Table 10.1: Distinctions Between Univariate and Bivariate Analysis 159**

The Deprivation Theory of Religiosity 159
 Testing Our Hypothesis: Correlating Religiosity and Gender 160
 Demonstration 10.1: Running Crosstabs to Test Our Hypothesis 160

Table 10.2: Tips for Identifying Independent and Dependent Variables 161

Examining Your Output 163
 SPSS Statistics Command 10.1: Running Crosstabs—Specifying the Dependent and Independent Variables 163
Interpreting Crosstabs 163
Interpreting Crosstabs: Association, Strength, and Direction 164
 Demonstration 10.2: Interpreting a Crosstab With Limited Categories 164
First Question: Is There an Association? 164
Second Question: How Strong Is the Association? 165
 Demonstration 10.3: Correlating Another Measure of Religiosity and Gender 165

Writing Box 10.1 166

Drawing Conclusions Carefully: Reassessing Our Original Hypothesis 166
 Demonstration 10.4: Interpreting a Crosstab With Ordinal Variables—Religiosity and Age 167
Interpreting Crosstabs With Ordinal Variables 167

Table 10.3: Hypothetical Example of a Positive Association 168**Table 10.4: Hypothetical Example of a Negative Association 168**

Examining Your Output 168
 Demonstration 10.5: Correlating Other Measures of Religiosity and Age 169

Writing Box 10.2 170

Epsilon 170
 Conclusion 170
 Main Points 171
 Key Terms 171
 SPSS Statistics Command Introduced in This Chapter 172
 Review Questions 172
 SPSS Statistics Lab Exercise 10.1 173

Chapter 11 Political Orientations as Cause and Effect 177

The Relationship Between POLVIEWS and PARTYID 177
 Demonstration 11.1: POLREC by PARTY 177
 Demonstration 11.2: PARTY by POLREC 178
Age and Politics 179
 Demonstration 11.3: POLREC by AGECAT 179
 Demonstration 11.4: PARTY by AGECAT 179
Interpreting Your Table: The Relationship Between Age and Party Identification 180
Religion and Politics 180
 Demonstration 11.5: POLREC by RELIG 180
 Demonstration 11.6: PARTY by RELIG 181
Gender and Politics 182
 Demonstration 11.7: PARTY and POLREC by SEX 182
Race and Politics 183
 Demonstration 11.8: POLREC by RACE 183
 Demonstration 11.9: PARTY by RACE 183
Education and Politics 183
 Demonstration 11.10: Recoding EDUC → EDCAT 184
 Demonstration 11.11: POLREC by EDCAT 185
 Demonstration 11.12: PARTY by EDCAT 186

Some Surprises: Class, Marital Status,
and Politics 186
 Social Class 186
 Marital Status 187
The Impact of Party and Political
Philosophy 187
Saving Recoded Variable: EDCAT 187
Conclusion 187
Main Points 188
Key Terms 188
Review Questions 188
SPSS Statistics Lab Exercise 11.1 189

**Chapter 12 What Causes Different
Attitudes Toward Abortion? 193**

Demonstration 12.1: Gender and
Abortion 193
Demonstration 12.2: Age and
Abortion 194
Demonstration 12.3: Religion and
Abortion 196
Writing Box 12.1 198
Demonstration 12.4: Politics and
Abortion 198
Writing Box 12.2 199
Demonstration 12.5: Sexual Attitudes and
Abortion 199
Other Factors You Can Explore on Your
Own 200
Conclusion 201
Main Points 201
Key Terms 201
Review Questions 202
SPSS Statistics Lab Exercise 12.1 203

**Chapter 13 Measures of Association
for Nominal and Ordinal
Variables 209**

The Logic of Statistical Association:
Proportionate Reduction of Error 209
Lambda (A): A Measure Appropriate for
Nominal Variables 210
 *An Indication of Strength of
Association* 210
Table 13.1: A Summary of Lambda (X)
 *Example 1: The Logic of Lambda
(X)* 211
 *Example 2: The Logic of Lambda
(X)* 211
Demonstration 13.1: Instructing SPSS
Statistics to Calculate Lambda (X) 212
Interpreting Lambda and Other
Measures 215

**Table 13.2: Some General Guidelines
for Interpreting Strength of
Association (Lambda [X],
Gamma [y], etc.) 215**

*Caveat: Interpreting Lambdas
of 0.00* 216

Writing Box 13.1 216

SPSS Statistics Command 13.1:
Running Crosstabs With
Lambda (X) 216

Gamma (y): A Measure Appropriate
for Ordinal Variables 217
 *An Indication of Strength and
Direction (With a Caveat) of
Association* 217

**Table 13.3: Direction of Association:
Using Class and Prejudice as an
Example 217**

**Table 13.4: A Summary of
Gamma (X) 218**

*Example 1: The Logic of Gamma
(y)* 218

*Example 2: The Logic of Gamma
(y)* 221

Demonstration 13.2: Instructing
SPSS Statistics to Calculate
Gamma (y)—Example 1 222

Writing Box 13.2 224

Demonstration 13.3: Running
Gamma (y)—Example 2
(Reverse Scoring Case) 224

SPSS Statistics Command 13.2:
Running Crosstabs With
Gamma (y) 227

Additional Measures of
Association 227

**Table 13.5: Measures of Association
Reviewed in This Chapter 227**

**Table 13.6: Additional Measures of
Association 228**

Analyzing the Association Between
Variables at Different Levels of
Measurement 228

Conclusion 228

Main Points 229

Key Terms 229

SPSS Statistics Commands

Introduced in This Chapter 229

Review Questions 229

SPSS Statistics Lab Exercise 13.1 231

Chapter 14 Correlation and Regression Analysis 235

Pearson's r : A Measure Appropriate for Interval/Ratio Variables 235

An Indication of Strength and Direction of Association 235

Example 1: The Logic of Pearson's r 235

Table 14.1: Summary of Pearson's r 236

Interpreting Pearson's r and the Coefficient of Determination (r^2) 240

Table 14.2: Some General Guidelines for Interpreting Strength of Association (Pearson's r , Coefficient of Determination) 240

Instructing SPSS Statistics to Calculate Pearson's r 240

Demonstration 14.1: Recoding RINCOMO6 \rightarrow RECINC 240

Demonstration 14.2: Using SPSS Statistics to Compute Pearson's r 244

SPSS Statistics Command 14.1: Producing a Correlation Matrix With Pearson's r 246

Demonstration 14.3: Requesting Several Correlation Coefficients 246

Writing Box 14.1 247

A Note of Caution 248

Regression Analysis 248

Example 1: The Logic of Regression 248

Demonstration 14.4: Regression 250
SPSS Statistics Command

14.2: Regression 253

Demonstration 14.5: Presenting Data Graphically—Producing a Scatterplot With a Regression Line 253

An Indication of Direction and Strength of Association 256

Writing Box 14.2 257

SPSS Statistics Command 14.3: Producing a Scatterplot With a Regression Line 257

Measures of Association for Interval and Ratio Variables 257

Table 14.3: Measures of Association Reviewed in This Chapter 257

Analyzing the Association Between Variables at Different Levels of Measurement 258

Conclusion 258

Main Points 258

Key Terms 259

SPSS Statistics Commands Introduced in This Chapter 259

Review Questions 259

SPSS Statistics Lab Exercise 14.1 261

Chapter 15 Tests of Significance 263

Statistical Significance 263

Significance Tests: Part of the Larger Body of Inferential Statistics 264

Statistical Significance Versus Measures of Association 264

Chi-Square (χ^2) 264

The Logic of Statistical Significance: Chi-Square (%) 267

Demonstration 15.1: Instructing SPSS Statistics to Calculate Chi-Square 268

Reading Your Output 269

SPSS Statistics Command 15.1: Producing Crosstabs With Chi-Square 270

Practice Running Chi-Square 270

Writing Box 15.1 270

Significance and Association 270

Table 15.1: A Guide to Interpreting Tests of Association and Significance 271

t Tests 271

Demonstration 15.2: Instructing SPSS Statistics to Run Independent-Samples t Test 273

Reading Your Output 274

SPSS Statistics Command 15.2: Running t Test (Independent-Samples t Test) 275

Demonstration 15.3: t Test—EDUC by SEX 275

Analysis of Variance 276

Demonstration 15.4: Instructing SPSS Statistics to Run ANOVA 276

Reading Your Output 278

SPSS Statistics Command 15.3: ANOVA (GLM Univariate) 279

Writing Box 15.2 279

A Statistical Toolbox: A Summary 280

Table 15.2: A Statistical Toolbox 280

Conclusion 280

Main Points 281

Key Terms 281

SPSS Statistics Commands Introduced in This Chapter 281

Review Questions 282
SPSS Statistics Lab Exercise 15.1 283

Chapter 16 Suggestions for Further Bivariate Analyses 287

Demonstration 16.1: Desired Family Size 287

Writing Box 16.1 289

Child Rearing 289
Attitudes About Sexual Behavior 290

Demonstration 16.2: Investigating Sexual Permissiveness Further 290

Writing Box 16.2 290

Prejudice 290
Additional Resources 291
Conclusion 291
Main Points 292
Review Questions 292
SPSS Statistics Lab Exercise 16.1 292

Part IV Multivariate Analysis

297

Chapter 17 Multiple Causation: Examining Religiosity in Greater Depth 299

Multiple Causation 299
Demonstration 17.1: The Impact of Age and Sex on Religiosity 299
 SPSS Statistics Command 17.1:
 Running Crosstabs With a Control or Third Variable 302
Demonstration 17.2: Family Status and Religiosity 302
Demonstration 17.3: Family Status and Religiosity, Controlling for Age 303
Demonstration 17.4: Social Class and Religiosity 304

Writing Box 17.1 305

Other Variables to Explore 305
Chi-Square and Measures of Association 305
 Chi-Square (%) 305
 Measures of Association 306
 Multiple Regression 306
 Dummy Variables 306
 Recoding SEX to Create a Dummy Variable: MALE 306
 Recoding RACE to Create a Dummy Variable: WHITE 307
 SPSS Statistics Command 17.2:
 Recoding to Create a Dummy Variable 309
Multiple Regression 309
 SPSS Statistics Command 17.3:
 Multiple Regression 312
Conclusion 312
Main Points 312
Key Terms 312
SPSS Statistics Commands Introduced in This Chapter 313
Review Questions 313
SPSS Statistics Lab Exercise 17.1 315

Chapter 18 Dissecting the Political Factor 321

Political Philosophy and Party Identification 321
Demonstration 18.1: Controlling for Education 322
Demonstration 18.2: The Mystery of Politics and Marital Status 323
 Recoding MARITAL 323
 POLREC by MARITAL2 323
 POLREC by MARITAL2 by AGECAT 324
 POLREC by MARITAL2 by SEX 325
 POLREC by MARITAL2 by EDCAT 325
 POLREC by MARITAL2 by RACE 325
 POLREC as Independent Variable 326

Writing Box 18.1 327

Political Issues 327
Conclusion 327
Main Points 328
Key Terms 328
Review Questions 328
SPSS Statistics Lab Exercise 18.1 329

Chapter 19 A Powerful Prediction of Attitudes Toward Abortion 333

Religion and Abortion 333
Demonstration 19.1: Religious Affiliation and Church Attendance 333
Demonstration 19.2: Religious Affiliation, Church Attendance, and Abortion 335
 Recoding RELIG and ATTEND Into Different Variables 336
 SPSS Statistics Command 19.1:
 Recoding Into Different Variables 336

Crosstab Recoded Variables 338
Relationship Between ABORT and Recoded Items 338

Politics (POLREC, PARTY) and Abortion (ABORT) 339

Demonstration 19.3: The Interaction of Religion and Politics on Abortion Attitudes 339

Demonstration 19.4: Constructing an Index of Ideological Traditionalism 340

Step 1: Create IND 341

Step 2: Assign Points—If Liberal (1) on POLREC, Get Two Points on IND 341

Step 3: Assign Points—If Moderate (2) on POLREC, Get One Point on IND 343

Step 4: Assign Points—If "None" (2) on RELIG, Get One Point on IND 343

Step 5: Assign Points—If Seldom (2) on ATTEND, Get One Point on IND 343

Step 6: Handle Missing Data 343

Step 7: Define IND 345

SPSS Statistics Command 19.2: Creating an Index Using Compute Variable 346

Run Frequencies to Check IND 346

Does IND Predict Attitudes Toward Abortion? 347

Sexual Attitudes and Abortion 347

Demonstration 19.5: Recode PREMARSX and HOMOSEX 347

Demonstration 19.6: The Relationship Between Sexual Permissiveness and IND 348

Writing Box 19.1 349

Conclusion 349

Main Points 349

Key Terms 350

SPSS Statistics Commands Introduced in This Chapter 350

Review Questions 350

SPSS Statistics Lab Exercise 19.1 351

Chapter 20 Suggestions for Further Multivariate Analyses 355

Ideal Family Size and Abortion 355

Writing Box 20.1 356

Child Rearing 356

The Protestant Ethic 357

Capital Punishment, Gender, and Race 358

Demonstration 20.1: CAPPUN by SEX 358

Demonstration 20.2: CAPPUN by SEX, Controlling for RACE 359

Conclusion 361

Main Points 361

Key Term 361

Review Questions 361

SPSS Statistics Lab Exercise 20.1 363

Part V The Adventure Continues 367

Chapter 21 Designing and Executing Your Own Survey 369

The Social Research Process and Proposal 369

Designing and Executing Your Own Survey 370

Sample Questionnaire 371

Getting Ready for Data Analysis Using SPSS Statistics 371

Step 1: Defining Your Data 371

Demonstration 21.1: Example 1—Defining ID 372

Variable Names 372

Type 373

Decimal 373

Width 374

Label 374

Values 375

Missing 375

Columns and Align 375

Measure 376

Demonstration 21.2: Example 2—Defining CHLDIDEL 377

SPSS Statistics Command 21.1: Defining a Variable 378

Copying Variables With Shared Attributes: Abortion Variables 378

Demonstration 21.3: Copying a Variable 378

SPSS Statistics Command 21.2: Copying a Variable 381

Demonstration 21.4: Saving Your New File 381

SPSS Statistics Command 21.3: Saving a New Data File 381

LOCAL.SAV 382

| | |
|---|-----|
| Step 2: Editing and Coding | |
| Your Data | 382 |
| <i>Unique ID Number</i> | 382 |
| <i>Coding Open-Ended Questions</i> | 382 |
| <i>Ensuring That Codes Are Easy to Read</i> | 382 |
| <i>Editing Questionnaires</i> | 383 |
| Demonstration 21.5: Accessing File Information for Coding and Editing | 383 |
| SPSS Statistics Command 21.4: Accessing File Information for Coding and Editing | 384 |
| Step 3: Entering Your Raw Data | 384 |
| Demonstration 21.6: Moving Through Data View | 384 |
| SPSS Statistics Command 21.5: Some Tips for Moving Through Data View | 384 |
| Demonstration 21.7: Entering Data | 384 |
| SPSS Statistics Command 21.6: Entering Numeric Data | 385 |

| | |
|---|-----|
| Demonstration 21.8: Revising or Deleting Data | 385 |
| SPSS Statistics Command 21.7: Deleting an Entire Case | 385 |
| Demonstration 21.9: Saving Your Data File | 385 |
| Writing a Research Report | 385 |
| Conclusion | 386 |
| Main Points | 386 |
| Key Terms | 386 |
| SPSS Statistics Commands Introduced in This Chapter | 386 |
| Review Questions | 387 |
| SPSS Statistics Lab Exercise 21.1 | 389 |

Chapter 22 Further Opportunities for Social Research 391

| | |
|-------------------------|-----|
| The Unabridged GSS | 391 |
| Other Data Sets | 392 |
| Other Computer Programs | 394 |
| Conclusion | 395 |
| Main Points | 395 |
| Key Term | 396 |
| Review Questions | 396 |

Appendix A: The Codebook 399

Appendix B: Questionnaire for Class Survey 437

Index/Glossary 455